Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	19	(US-20060126252-\$ or US-20030170122-\$ or US-20040151578-\$).did. or (US-5331330-\$ or US-6612810-\$ or US-4449053-\$ or US-4571660-\$ or US-4270160-\$ or US-6932574-\$ or US-6966754-\$ or US-3760346-\$).did. or (US-2987642-\$ or US-2593955-\$). did. or (WO-2004111686-\$).did. or (JP-02174086-\$ or JP-2002227757-\$ or JP-59230172-\$).did. or (WO-2004111686-\$ or JP-61120403-\$).did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/12/25 20:08
L2	2	1 and (computer with(memory stor\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/12/25 20:08
S1	2	"20060126252"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/25 16:32
S2	48	"0079128"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/09 12:09
S3	23	"0248546"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/09 12:10
S4	8	"0663598"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/09 12:09
S5	78	S2 S3 S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/09 12:08

S6	1	S5 and (lightning)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/09 12:08
S7	1	S5 and (lightning)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 12:08
S8	1	S5 and (lightning receptor turbine)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 12:09
S9	1644	(registration register\$3 determin\$4 measur\$4 detect\$3 calculat\$3 inspect\$3 monitor\$3)near5 lightning	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 12:12
S10	285132	(wind adj turbine)receptor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 12:12
S11	25	S9 and S10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 12:12
S12	3	S11 and (temperature near7 (resistor resistance resistive))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 14:19
S13	5174	(lightning near3 (arrest\$3 captur\$3 detect\$3 measur\$4 monitor\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 14:17

12/25/07 8:28:23 PM C:\Documents and Settings\AHe\My Documents\EAST\workspaces\10559632.wsp Page 2

S14	26	S10 and S13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 12:19
S15	5	S14 and resistor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 12:18
S16	5174	(lightning near3 (arrest\$3 captur\$3 detect\$3 measur\$4 monitor\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/08/09 14:17
S17	149	S16 and (temperature near7 (resistor resistance resistive))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 14:21
S18	13	S16 with (temperature near7 (resistor resistance resistive))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 14:21
S19	9	(US-20060126252-\$).did. or (US-4571660-\$ or US-4270160-\$).did. or (US-2987642-\$ or US-2593955-\$). did. or (WO-2004111686-\$).did. or (JP-59230172-\$).did. or (WO-2004111686-\$ or JP-61120403-\$).did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/12/17 12:47
S20	8	(wind adj turbine)and (arrester)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/17 12:48
S21	3	(wind adj turbine)and (lightning adj arrester)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/17 12:55

Page 3 12/25/07 8:28:23 PM C:\Documents and Settings\AHe\My Documents\EAST\workspaces\10559632.wsp

S22	9	(US-20060126252-\$).did. or (US-4571660-\$ or US-4270160-\$).did. or (US-2987642-\$ or US-2593955-\$). did. or (WO-2004111686-\$).did. or (JP-59230172-\$).did. or (WO-2004111686-\$ or JP-61120403-\$).did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/12/17 12:56
S23	1	S22 and (receptor and (measur\$4 near3 temperature))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/17 12:56
S24	3	(lightning with (blade with receptor))and (resistor with temperature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 22:49
S25	3	(lightning with (wind adj turbine))and (resistor with temperature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 22:49
S26	1	(lightning with (wind adj2 plant))and (resistor with temperature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 22:50
S27	2	(lightning with (wind adj2 plant))and (resistor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 22:50
S28	7	(lightning with (wind adj2 (turbine plant)))and (resistor)	US-PGPUB; USPAT; USOCR;	OR	ON	2007/12/18 11:46
			EPO; JPO; DERWENT; IBM_TDB			
S29	57	(lightning and (blade receptor (wind adj3 (turbine engine plant)))).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/18 11:49

S30	1	S29 and (temperature same resistor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/18 11:49
S31	10	S29 and (resistor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/18 12:20
S32	1797	(324/72).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/18 12:20
S33	7991	(324/72,158.1).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/18 12:23
S34	2356	(361/117,118).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/18 12:23
S35	10340	S33 S34	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/18 12:23
S36	119	S35 and (lightning and resistor and temperature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/18 12:24
S37	3	S35 and (lightning and resistor and temperature).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/18 12:24

			_			
S38	12	(US-20060126252-\$ or US-20030170122-\$).did. or (US-4571660-\$ or US-4270160-\$ or US-6932574-\$).did. or (US-2987642-\$ or US-2593955-\$).did. or (WO-2004111686-\$).did. or (JP-2002227757-\$ or JP-59230172-\$). did. or (WO-2004111686-\$ or JP-61120403-\$).did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/12/18 12:34
S39	8	S38 and resistor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/12/18 12:34
S40	12	(US-20060126252-\$ or US-20030170122-\$).did. or (US-4571660-\$ or US-4270160-\$ or US-6932574-\$).did. or (US-2987642-\$ or US-2593955-\$).did. or (WO-2004111686-\$).did. or (JP-59230172-\$ or JP-2002227757-\$). did. or (JP-61120403-\$ or WO-2004111686-\$).did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/12/19 21:19
S41	9	S40 and (receptor arrester)and (resistor temperature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/19 21:24
S42	49	"0079128"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/19 21:24
S43	50	"0079128"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/19 21:26
S44	23	"0248546"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/19 21:26

	Γ					
S45	8	"0663598"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/19 21:28
S46	13	register\$3 near5 (lightning adj strike)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/19 21:34
S47	408	(measur\$4 determin\$4 detect\$4)with (lightning adj strike)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/19 21:34
S48	18677	(measur\$4 determin\$4 detect\$4)with (temperature with (resistor resistive))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/19 21:35
S49	4	S47 and S48	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/19 21:36
S50	149	(wind near3 (turbine plant))same (lightning)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/19 21:36
S51	25	S50 and temperature	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/19 21:37

S52	51	(resistor same (lightning near3 (register\$3 detect\$3 sens\$3 inspect\$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/25 16:33
S53	4	S52 and (resistor with (steel housing insulation shroud\$3 thermo))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/25 16:46
S54	4144	(thermocouples with thermometer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/25 16:47
S55	3371	(thermocouples near5 thermometer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/25 16:47
S56	129	(thermocouples near5 thermometer). clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/25 16:47
S57	2	(thermocouples near5 thermometer)with ((thermo adj element)(thermo\$1element))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/25 17:24
S58	56	(lightning adj arrester)with steel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/25 17:24
S59		(lightning adj arrester)with (stainless adj steel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/25 17:40

S60	1	(resistor near3 manufactured near5 (stainless adj steel)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/25 17:40
S61	3	(resistor near3 manufactured near5 (stainless adj steel))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/25 17:42
S62	5	(resistor near7 manufactured near5 (stainless adj steel))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/25 17:42